In the United States Patent and Trademark Office	
Serial No	
Appn. Filed :	
Applicant: Yuri Glukhoy	
	٢
Appn. Title: AEROSOL MASS SPECTROMETI	ER FOR OPERATION IN A HIGH-
DUTY MODE AND METHOD OF MASS-SPE	CTROMETRY
Examiner/GAU:	Mailed: Feb. 28/04 At: San Carlos, CA
Information Disclosure Statement	At: San Carris, Co
Information Discressive Statement	
Commissioner for Patents	
P.O. Box 1450, Alexandria, VA 22313-1450	
Sir:	

"Industrial Plasma Engineering" by Reece Roth, Vol. 1, Institute of Physics Publishing, Bristol and Philadelphia, 1992, pp. 206-218, describes sources of charged particles suitable for use in mass spectrometers.

US Patent No. 5,396,065 issued in 1995 to C. Myerholtz, et al. discloses an encoded sequence of charged-particles in packets for use in time-of-flight mass spectrometers, in which the high-mass charged particles of a leading packet will be passed by the low-mass charged particles of a trailing packet. However, the method and apparatus of the aforementioned patent make interpretation of obtained data more complicated and not easily comprehensible. Furthermore, addition electronic circuits are required for control

of the charged particle packet sequence. However, such method and apparatus make interpretation of obtained data more complicated and not easily comprehensible. Furthermore, addition electronic circuits are required for control of the charged particle packet sequence.

US Patent No. 5,753,909 issued in 1998 to M. Park et al. describes a method and apparatus for analyzing charged particles by determining times of flight including using a collision cell to activate charged particles toward fragmentation and a deflector to direct charged particles away from their otherwise intended or parallel course. A disadvantage of this device consists in that it is based on the selection of specific charged particles and does not show the entire mass spectrum. For obtaining the entire spectrum, it is necessary to perform step by step scanning, and this requires an additional time. A disadvantage of the device disclosed in US Patent No. 5,753,909 consists in that this mass spectrometer is based on the selection of specific charged particles and does not show the entire mass spectrum. For obtaining the entire spectrum, it is necessary to perform step by step scanning, and this requires an additional time.

US Patent No. 6107,625 issued in 2000 to M. Park discloses a coaxial multiple reflection time-of-flight mass spectrometer of a time-of-flight type with resolution capacity improved due to a longer time of flight of the charged particles. The apparatus comprises two or more electrostatic reflectors positioned coaxially with respect to one another such that charged particles generated by a charged-particle source can be reflected back and forth between them. This system with storage of charged particles does not allow a continuous mode of mass analysis. The data is difficult to interpret, especially when masses of charged particles are scattered in a wide range.

U.S. Patent Application No. 10/058,153 field by Yu. Glukhoy on January 29, 2003 discloses a quadrupole mass spectrometer that provides extended time of flight trajectory and hence a very high the time resolution. A mass spectrometer of the aforementioned patent application is based on the use of quadrupole lenses with an angular gradient of the

electrostatic field from lens to lens. The charged particles perform flights in direct and reverse directions along helical trajectories. However, the above-described helical-path quadrupole mass spectrometer, as well as all aforementioned known mass spectrometers of other types, is not very convenient for aerosol applications and is not suitable for operation in a continuous mode.

Different methods used for reconstruction of the particle distribution spectra in acquisition period of the cycle of mass spectrometer are described in the following literature sources: 1) G. Wilhelmi, et al. in "Binary Sequences and Error Analysis for Pseudo-Statistical Neutron Modulators with Different Duty Cycles," Nuclear Inst. and Methods, 81 (1970), pp. 36-44; 2) Myerholtz, et al. "Sequencing ion packets for ion time-of-flight mass spectrometry" (see aforementioned US Patent 5,396,065 described earlier in the description of the prior art); 3) Cocg "High duty cycle pseudo-noise modulated time-of-flight mass spectrometry" (US Patent 6,198,096, issued March 6, 2001; 4) Brock, et al. "Time-of-flight mass spectrometer and ion analysis" (US Patent 6, 300,626, issued October 9, 2001); 5) Overney, et al. "Deconvolution method and apparatus for analyzing compounds" (US Patent 6,524,803, issued February 25, 2003), etc. The above methods utilize special properties of the pulsing sequence, e.g., a pseudorandom binary sequence (PRBS) or Hadamard Transform. However, they cannot reach a high duty-cycle because their TOF MS's annihilate a part of the flow of charged particles by a gating grid [see references 3) and 4)] or deflecting mesh [see reference 5)] during binary modulation that they converted. This is because at least a half of the chargedparticle flow must be discarded to allow the other half to be counted. The flow of charged particles sputters and contaminates the modulation grids or meshes and creates secondary electron-, ion-, or photon-emission leading to deterioration of the grids. Furthermore, foreign species introduced in the drift space because of contamination and sputtering destruct the detectors and distort the information. The low sensitive flat deflection system, which is used in the in the A. Brock et al TOF-MS for the Hadamard's transform, contains a high density array of the wires with alternating potential that leads to breakdown.

The disadvantages of all known aerosol TOF MS's make them unsuitable for aforementioned high-duty analysis under extreme or critical conditions such a biological attack or an environmental disaster, e.g., a hazardous leakage or contamination of water reservoirs in populated areas.

Thus, none of the aforementioned references discloses, as claimed in my main Claim 1 with dependent Claims 2-27, an aerosol TOF MS with a quadrupole lens system that provides alternating deflections of the flow of particles between two positions for aligning the flow with two inlet openings into the TOF MS so that the TOF MS of the invention can be used in continuous and high-duty applications with the duty cycle as high as 98%, which is unattainable with any known device of this class. Furthermore, none of the aforementioned references discloses, as claimed in my main Claim 28 with dependent Claim 29, a method of mass spectrometry with the use of an aerosol time-of-flight mass spectrometer that receives a flow of charged particles for analysis, wherein the flow of particles is divided into at least two flows of randomly modulated charged particles and are alternatingly directed to at least two injection opening for flying along separate trajectories for independent analysis without mutual interference.

Feb 24/04

Applicant:

Nanomat, Inc. 1061 Main St.

North Huntingdon, PA 15642

Attn: Yuri Glukhoy

Tel 724-9782202

Fax 724-978-0085

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to Substitute for form 1449A/PTO		o respond to a collection of information unless it contains a valid OMB control number. Complete if Known		
		Application Number		
	INFORMATION DISCLOSURE	Filing Date		
STATEMENT BY APPLICANT		First Named Inventor	Turi Glukhoy	
		Art Unit		
	(Use as many sheets as necessary)	Examiner Name		
Sh	eet of	Attorney Docket Number		

			U. S. PATENT D	OCUMENTS	
Examiner Initials*	Cite No.1	Document Number Number-Kind Code ^{2 (if known)}	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
		US 5 396,065	1995	C.Myeeholtz,	etal-
		US- /			
		us 5,753,909	1998	M. Park et.	l.
		US-	_	' ' ^	
		US-6,107,625	2000	M. Park	
		US- , , ,	,	, ,	•
		US. Par. Apre. 7	710/058,15	3 Yu. Glukh	py 2003
		US-	'	_ ′	
		US- 6,198,096	2001	Coca	
		US-		1 . 0	4
		US-6,524,803	2003	Overney et	al.
		US-		/ _	
		us. 6.300, 626	2001	Brock, et al.	
		US- / /			
		US-			

FOREIGN PATENT DOCUMENTS					
Cite No.1	Foreign Patent Document Country Code ³ Number ⁴ 'Kind Code ⁵ (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	Т ⁶

		***************************************	•••••••••••••••••••••••••••••••••••••••	***************************************	
			••••••	. X************************************	
		***************************************		***************************************	_
	No.1	Cite Foreign Patent Document No.¹ Country Code³ Number⁴ 'Kind Code⁵ (if known)	Cite Foreign Patent Document Publication Date MM-DD-YYYY Country Code ³ Number ⁴ 'Kind Code ⁵ (if known)	Cite Foreign Patent Document Publication Date MM-DD-YYYY Applicant of Cited Document Country Code ³ Number ⁴ 'Kind Code ⁵ (if known) Publication Date MM-DD-YYYY Applicant of Cited Document	Cite No.¹ Country Code³ 'Number⁴ 'Kind Code⁵ (if known) Publication Date MM-DD-YYYY Name of Patentee or Applicant of Cited Document Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear

Examiner	Date	
Signature	Considered	

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. 1 Applicant's unique citation designation number (optional). 2 See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. 3 Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). 4 For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. 5 Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. 6 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449B/PTO			Complete if Known
		Application Number	
INFORMATION DI	SCLOSURE	Filing Date	
STATEMENT BY	APPLICANT	First Named Inventor	Yuri Glukhoy
		Art Unit	7
(Use as many sheets as	s necessary)	Examiner Name	
Sheet	of	Attorney Docket Number	

NON PATENT LITERATURE DOCUMENTS			
Examiner Initials*	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T²
	<i>{.</i>	"Industrial Plasma Engineering" by Reece	
		"Industrial Plasma Engineering" by Reece Roth, Vol. 1, Institute of Physics Publishing, Bristol and Philadelphia, 1992, pp. 206-218	
	••••••		
			······

			=

ſ		
Examiner	Date	
Signature	Considered	

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.